

Sourcing List (2026)

Disclaimer: This list shows the potential commodities to be utilized, there is no guarantee for procurement and all items are subject for change.

| # | 9COM | Description | Full Description | Commodity |
|----|------------|--|---|---------------------|
| 1 | 6000000275 | VALVE; CHECK; SWING; UP TO 12 IN; CI OR DI | VALVE CHECK; SIZE UP TO 12 INCH, CAST OR DUCTILE IRON BODY, SWING, FLANGED, LUG OR WAFER END CONN, 04-SAMSS-035, 04-SAMSS-048 04-SAMSS-005 | Valves |
| 2 | 6000000292 | VALVE; GATE; UP TO 12 INCH; NON-FERROUS; | VALVE GATE; SIZE UP TO NPS 12, ANY RATING, ALLEND SUPPLY, NON-FERROUS, (BRONZE/ALUMINUM-BRONZE BODY, 04-SAMSS-035, 04-SAMSS-048, 04-SAMSS-001, WITH OR WITHOUT ACTUATOR | Valves |
| 3 | 6000000296 | VALVE; GATE; WEDGE OR DBL DISC; UP TO 12 | VALVE GATE; SIZE UP TO NPS 12, ANY RATING, ALLEND SUPPLY, CAST OR DUCTILE IRON BODY, 04-SAMSS-035, 04-SAMSS-048 AWWA, WITH OR WITHOUT ACTUATOR | Valves |
| 4 | 6000000302 | VALVE; GLOBE; CAST OR DUCTILE IRON; | VALVE GLOBE; ANY NPS, ANY RATING SUPPLY, ANY ENDS END CONN, CAST OR DUCTILE IRON BODY, 04-SAMSS-035, 04-SAMSS-048 04-SAMSS-002, WITH OR WITHOUT ACTUATOR, ANY SIZE | Valves |
| 5 | 6000000323 | VALVE; CHECK; API 6A 2000-5000; STEEL; S | VALVE CHECK; SIZE ANY, 2000-5000 SUPPLY, STEEL BODY, SWING, FLANGED, BUTTWELD OR HUBBED END CONN, 04-SAMSS-055, API 6A | Valves |
| 6 | 6000009414 | VALVE, SANDWICH, 2 IN. AND UP, ASME CLAS | VALVE; GATE, SANDWICH TYPE, SIZE NPS 2 AND UP, STEEL, ASME CLASS 150 AND UP SUPPLY, FLANGE END CONN, 04-SAMSS-035, 04-SAMSS-048 | Valves |
| 7 | 6000014491 | VALVE; NPS 2 TO 20, COMPOSITE MATERIAL | VALVE; BUTTERFLY, BALL OR CHECK TYPE, SIZE NPS 2 THRU 20, ASME CLASS 150 & 300 SUPPLY, FLANGE END CONN, COMPOSITE (NON-METALLIC) BODY | Valves |
| 8 | 6000000054 | PIPE; METALLIC; NICKEL & NICKEL ALLOY | PIPE METALLIC; ANY SIZE NPS, ANY, NICKEL AND NICKEL ALLOY, SEAMLESS OR WELDED, 01-SAMSS-046, COMPLIANCE TO NACE MR0175/ISO15156 REQUIRED FOR SOUR SERVICE | Pipe |
| 9 | 6000014900 | MACHINE; HOT TAP; PIPELINE SERVICE | MACHINE; HOT TAP TYPE, WITH /WITHOUT POWER UNIT | Pipe |
| 10 | 6000014200 | PIPE: Copper-Nickel, EEMUA, ASTM | PIPE: COPPER NICKEL (CUNI) PIPE OR T TYPE, COPPER-NICKEL | Pipe |
| 11 | 6000014202 | FITTING; PIPE; CUNI; ALL TYPES; EEMUA 234 | FITTING; PIPE; EEMUA 234, CUNI PIPE FITTINGS, ALL TYPES, INCLUDING ELBOWS, TEES, REDUCERS, CAPS, COUPLING, BRANCH CONNECTION, BW OR SW OR THREADED AS PER EEMUA 234. NON-HYDRCARBON UTILITY | Pipe Fittings |
| 12 | 6000014012 | FITTING: PIPE, WELD OVERLAYERD; 02-SAMSS-012 | FITTING: PIPE; CARBON STEEL/LOW ALLOY STEEL, ANY CORROSION RESISTANT WELD OVERLAY FINISH, 02-SAMSS-012, 01-SAMSS-044, 02-SAMSS-005, ELBOW, TEE, CAP, CROSS OR ANY FITTING. [NOTE: CLAD SPOOL FABRICATION RESTRICTION IN SAES-L-101 SHALL APPLY. TO BE SUPPLIED IN CLAD SPOOL, COVERED BY 9COM 6000014018] | Pipe Fittings |
| 13 | 6000000134 | SLEEVE; PIPE; TWO HALVES; BOLTED FLANGED | SLEEVE PIPE BOLTED, ANY NOM PIPE, STEEL, ANY WP, FOR PIPE REPAIR, FOR PIPE REPAIR. | Pipe Fittings |
| 14 | 6000000188 | FLANGE; COMPACT WN PAIR, M-F CONNECTOR | FLANGE PIPE; COMPACT FLANGE WN PAIR, WN-BLIND, WN-WN SWIVEL-RING OR AS DESIGNED TYPE, ASME CLASS 900 AND ABOVE RATING, WN WITH SELF-ENERGIZING SEAL TERMINAL CONNECTION, ANY NPS, ANY STEEL PER 02-SAMSS-011, ASME SEC VIII DESIGN, 02-SAMSS-011, COMPLETE ASSEMBLY WITH MALE-FEMALE CONNECTOR, SEAL RING, BOLTS AND NUTS | Pipe Fittings |
| 15 | 6000014710 | FLANGE; PIPE: CONNECTOR, MECHANICAL END | FLANGE PIPE; CONNECTOR TYPE, ANY NPS, ANY, MECHANICAL END CONNECTORS | Pipe Fittings |
| 16 | 6000000189 | FLANGE: PIPE; CLAMP; COMPLETE ASSY; W/ HUBS | FLANGE PIPE; ANY TYPE, ANY NPS, CS, AS, SS, API 6A, ASME VIII DIV 2, CLAMP, COMPLETE ASSY, W/HUBS SEAL RING, BOLTS AND NUTS, ANY SIZE | Pipe Fittings |
| 17 | 6000000110 | FLANGE; PIPE; SW; THRD; CS, LOW ALLOY | FLANGE PIPE; SW AND THREADED TYPE, ANY NPS, CARBON STEEL AND LOW ALLOY STEEL, ASME B 16.5 | Pipe Fittings |
| 18 | 6000002394 | BOILER; WATER TUBE | BOLIERL WATER TUBE TYPE, 32-SAMSS-021 | Heat Transfer Equip |
| 19 | 6000011229 | BURNER; HIGH INTENSITY, FOR SULFUR | BURNER; HIGH INTERTSITY TYPE, HIGH INTERTSITY, FOR SULFUR RECOVER UNIT REACTION FURNACE | Heat Transfer Equip |
| 20 | 6000002397 | BRICK; REFRACORY | BRICK; REFRACORY | Heat Transfer Equip |
| 21 | 6000014740 | VESSEL INTERNAL, 3-PHASE ELECTROSTATIC | VESSEL; INTERNAL TYPE, ANY SEPARATOR INTERNALS AND ELECTROSTATIC COALSER | Vessels |
| 22 | 6000017141 | INLINE MIXING UNIT; | UNIT; VALVE/SPOOL TYPE, SAES-A-010,01-SAMSS-010 ANSI B31.3, INLINE HIGH EFFICIENCY MIXER PACKAGE, ADJUSTABLE OR STATIC, TYPICALLY HAS SPOOL OR VAVAL, FITTINGS, INJECTION CONE, INJECTION PIPE SPOOL, INJECTION QUILL, HOUSING, INTERNAL MIXING PARTS. FOR SOUR AND NONSOUR SERVICE NPS PRODUCT RANGE PER PR, ANSI FLANGE 150 TO 900#. FOR MIXING OIL WITH WATER OR CHEMICALS. FABRICATION WITH APPROVED MANUFACTURER | Vessels |
| 23 | 6000002415 | EJECTOR; AIR; STEAM OR WATER.; | ; EJECTOR; ANY PROCESS, ANY, AIR, STEAM OR WATER, AIR, STEAM OR WATER. | Vessels |
| 24 | 6000011206 | HYDROCARBON FILTRATION PACKAGE | SKID; SKID/PACKAGE TYPE, SAES-A-017 (DESING), SAMSS-038 SKID FABRICATION ASSEMBLY AND DESIGN OF FILTRATION SYSTEM (HYDROCARBON SERVICE) OIL /GAS/ WATER SYSTEM | Vessels |
| 25 | 6000010731 | TANK; DOME ROOF, ALUMINUM SAES-D-108 | TANK; DOME ROOF TYPE, ANY, ALUMINUM, SAES-D-108, APPENDIX 132-SAMSS-005, APPENDIX G, API 650 | Vessels |
| 26 | 6000018461 | BACKWASHING/SELF CLEANING FILTER PACKAGE | PACKAGE; STORAGE AND VAPORIZATION FILTER TYPE, 32-SAMSS-038, SAES-A-017, FOR PHYSICAL SEPARATION OF SUSPENDED SOLID PARTICLES FROM WATER, GAS, NGL/CONDESATE, GLYCOLS BY BACKWASHING WITH NO NEED FOR MANUAL INTERVENTION. TYPICALLY, SKIDDED UNIT-INCLUSIVE OF INTERCONNECTING PIPING, VALVES, INSTRUMENTATION ASSOCIATED PIPING AND SAES-A-017 AND ASSEMBLY PER 32-SAMSS-038. PHYSICAL ARATION | Vessels |
| 27 | 6000015670 | PUMP; CENTRIFUGAL; API 685 SEALLESS | PUMP CENTRIFUGAL; API 685 SEALLESS TYPE, SIZE ANY, ANY, SINGLE STAGE(S), 31-SAMSS-685 | Pumps |
| 28 | 6000002365 | PUMP; VACUUM; API 681, HIGH POWER | PUMP; VACUUM TYPE, ANY, API 681, HIGH POWER, LIQUID RING VACUUM PUMPS OR COMPRESSORS | Pumps |

Sourcing List (2026)

Disclaimer: This list shows the potential commodities to be utilized, there is no guarantee for procurement and all items are subject for change.

| # | 9COM | Description | Full Description | Commodity |
|----|------------|---|--|--------------------|
| 29 | 6000002244 | COMPRESSOR; AIR; CENTRIFUGAL; INTEGRALLY | COMPRESSOR AIR; CENTRIFUGAL, INTEGRALLY GEARED TYPE, 31-SAMSS-006 | Compressor |
| 30 | 6000002338 | COMPRESSOR; SMALL CAPACITY, PLANT AND IN | COMPRESSOR; SMALL CAPACITY TYPE, 31-SAMSS-002, PLANT AND INSTRUMENT AIR | Compressor |
| 31 | 6000002490 | TURBINE; COMB. GAS; AERO; UP TO 30,000 HP | TURBINE COMBUSTION GAS; AERO-DERIVATIVE & LIGHT INDUSTRIAL TYPE, ANY, UP TO 30,000 HP, 32-SAMSS-100, S-K-502 | Turbine |
| 32 | 6000014891 | NEGATIVE PRESSURE WAVE (ACOUSTIC) PLDS | DETOCTOR LEAK; NEGATIVE PRESSURE WAVE (ACOUSTIC) TYPE, FOR PIPELINE, SAES-Z-003, THE ACOUSTIC PRESSURE WAVE METHOD ANALYSIS THE RAREFACTION WAVES PRODUCED WHEN A LEAK OCCURS. FOR PIPELINE LEAK DETECTION SYSTEM(PLDS) APPLICATIONS | Instrumentation |
| 33 | 6000009908 | CUSTODY TANK GAUGE, RADAR | GAUGE TANK LEVEL; ANY TYPE, ANY RANGE,34-SAMSS-321, CUSTODY TANK RADAR GAUGE, CUSTODY TRANSFER TANK LEVEL GAUGING | Instrumentation |
| 34 | 6000009910 | CUSTODY WEIGH SCALE | SCALE WEIGH; CUSTODY TRANSFER TYPE, 34-SAMSS-180 | Instrumentation |
| 35 | 6000014021 | ANALYZER; PHYSICAL PROPERTY | ANALYZER; PHYSICAL PROPERTY TYPE, ANY RANGE (EXAMPLE: BOILING POINT, FLASH POINT, ROUR POINT, CFPP, RVP, COLOR, CLOUD POINT, FREEZE POINT, OCTANE, AND VISCOSITY) | Instrumentation |
| 36 | 6000002732 | MONITOR; FLAME MONITORING SYSTEM | MONITOR; IGNITERS AND BURNERS USED E MONITORING SYSTEM D IN FIRED EQUIPMENT. TYPE, ANY RANGE, 34-SAMSS-617 | Instrumentation |
| 37 | 6000012717 | SWITCHGEAR; SF6 GAS INSULATED, 230 KV, | SWITCHGEAR; GAS TYPE; 230 KV INDOOR, ANY BIL, 32-TMSS-02, GAS INSULATED SWITCHGEAR | Electrical |
| 38 | 6000012716 | SWITCHGEAR; SF6 GAS INSULATED,115KV,132KV | SWITCHGEAR; SF6 GAS TYPE, 115 KV, 132 KV INDOOR, ANY BIL, 32-TMSS-02, GAS INSULATED SWITCHGEAR | Electrical |
| 39 | 6000000774 | TRAY; CABLE, FIBERGLASS | TRAY; CABLE TYPE, FIBERGLASS, NEMA FG-1, SAES-P-104 SEC. 9 | Electrical |
| 40 | 6000017041 | SWITCHGEAR; SF6, INDOOR 13.8 & 34.5 KV | SWITCHGEAR; SF6 GAS INSULATED TYPE, 13.8 AND 34.5KV ANY BIL, SDMS-09, SAES-P-116, SF6 GAS INSULATED METAL CLAD 13.8 AND 34.5KV SWITCHGEARS, MAXIMUM RATING IS 2500A | Electrical |
| 41 | 6000000882 | TRANSFER SWITCH; AUTOMATIC, INDOOR, LV | SWITCH TRANSFER; 600V MAX, AUTOMATIC AND NON-AUTOMATIC ACTION, COMPLETELY ENCLOSED AND OPEN TRANSFER SWITCHES AND INTENDED FOR USE IN OTHER EQUIPMENT SUCH AS CONTROLGEAR AND SWITCHBOARD POSITION, AUTOMATIC TYPE, FOR INDOOR,16-SAMSS-521, LOW VOLTAGE | Electrical |
| 42 | 6000001014 | CP, POWER SUPPLY; RECTIFIER; IMPRESSED CURR | RECTIFIER IMPRESSED CURRENT; HODIC PROTECTION SE CONTROL TYPE, ANY OUTPUT, 17-SAMSS-005 | Electrical |
| 43 | 6000001042 | ANODE; GALVANIC; ZINC RIBBON, CP | ANODE GALVANIC; ZINC RIBBON, 17-SAMSS-006, CATHODIC PROTECTION | Electrical |
| 44 | 6000001040 | ANODE ALVANIC; MAGNESIUM, WITHOUT LEAD, CP | ANODE GALVANIC; MAGNESIUM, 17-SAMSS-006, CATHODIC PROTECTION WITHOUT LEADS | Electrical |
| 45 | 6000012790 | ANODE: GALVANIC, MAGNESIUM, CP | ANODE GALVANIC; MAGNESIUM, 17-SAMSS-006, CATHODIC PROTECTION LARGE SIZE CYLINDRICAL, FOR OFFSHORE APPLICATION | Electrical |
| 46 | 6000000903 | SWITCH; DISCONNECT; HIGH VOLTAGE; | SWITCH DISCONNECT; HIGH VOLTAGE, ANY ACTION, ELECTRICAL TYPE,30-TMSS-01 | Electrical |
| 47 | 6000012080 | BOX: JUNCTION, FOR U/G ANODE BED, CP | BOX ELECTRICAL; CATHODIC PROTECTION UNDERGROUND ANODE BED JUNCTION BOX TYPE, SIZE 2500 CM3 (MINIMUM), CYLINDRICAL OR BOX SHAPE, 12 X 16 MM2 AND 2 X 70 MM2 CONNECTN, 12 + 2 TERMINAL SCREW LUG CONNECTN, FOR WEATHERPROOF(DIRECT BURIAL), NON-CLASSIFIED, NON-METALLIC SUITABLE FOR DIRECT BURIAL AND IMMERSION SERVICE IN AMBIENT TEMPERATURE SEAWATER, OPTIONAL FINISH, OPTIONAL THK, 17-SAMSS-008 JUNCTION BOX FOR CATHODIC PROTECTION', MEMBRANE GLANDS & FILTER/ SEALING COMPOUND SUITABLE FOR DIRECT BURIAL AND IMMERSION SERVICE IN AMBIENT TEMPERATUE SEAWATER | Electrical |
| 48 | 6000000899 | Motor Controller; High Voltage, Outdoor | CONTROLLER MOTOR; HIGH VOLTAGE, OUTDOOR TYPE, ANY, 16-SAMSS-507 | Electrical |
| 49 | 6000015923 | BUS; ISOLATED PHASE BUS DUCT | BUS; SIZE ANY, ANY, 16-SAMSS-523, ISOLATED PHASE BUS DUCT | Electrical |
| 50 | 6000000965 | SYNCHRONOUS GENERATORS | GENERATOR SYNCHRONOUSL ANY POWER, ANY, 3 PHASE, 60 HZ, INSUL CL F, PH0.8, 17-SAMSS-510 | Electrical |
| 51 | 6000018540 | DEVICE: HIGH RESISTANCE GROUNDING | DEVICE; GROUNDING TYPE,16-SAMSS-516, FOR RESTRICTING THE SYSTEM GROUND FAULT CURRENT AT LV SYSTEMS TO APPROX. 5A AS WELL AS DETECT THE GROUND FAULT GENERAL LOCATION, MONITOR THE CONTINUITY OF THE NEUTRAL CONNECTION, MONITOR FOR NEUTRAL RESISTOR SHORT CIRCUIT, AND ALLOW SPECIFIC LOCATION OF THE FAULT BY PULSATION OF THE GROUND FAULT CURRENT. | Electrical |
| 52 | 6000000722 | TRANSMISSION: VARIABLE SPEED | COUPLING SHAFT; STYLE ANY, ANY BORE,13-SAMSS-001, API 613, HYDRAULIC OR PERMANENT MAGNET, VARIABLE OR ADJUSTABLE SPEED, WITH OR WITHOUT GEAR, WHEN GEARED ROTORS USED SHALL COMPLY WITH 13-SAMSS-001 AND API-613. | Power Transmission |
| 53 | 6000002404 | TOWER; COOLING; WATER; | TOWER COOLING; WATER TYPE,27-SAMSS-003, ASHRAE 90.1 | Air Conditioning |

Sourcing List (2026)

Disclaimer: This list shows the potential commodities to be utilized, there is no guarantee for procurement and all items are subject for change.

| # | 9COM | Description | Full Description | Commodity |
|----|------------|--|---|-------------------------|
| 54 | 6000001823 | AIR CONDITIONING UNIT; PACKAGED UNIT TRA | AIR CONDITIONING UNIT; PACKAGED UNIT TRAILERIZED TYPE, AIR COOLED, R-22 OR R134A REFRIGERANT, MANUFACTURER STANDARD AHRI-340/360, UL-1995 or UL-60335-2-40 | Air Conditioning |
| 55 | 6000013333 | AIR CONDITIONING UNIT; SPLIT | AIR CONDITIONING UNIT; SPLIT TYPE, DIRECT EXPANSION COOLING METHOD, R-22 OR R134A REFRIGERANT, ASHRAE-127 or AHRI1360, UL-1995, PRECISION COOLING FOR CONTROL, COMMUNICATION, AND DATA PROCESSING | Air Conditioning |
| 56 | 6000013331 | FILTER, AIR, HEPA | FILTER; PARTICULATE AIR FILTER TYPE: HEPA, ULPA, APPLICATION: HEATING, VENTILATION, AND AIR CONDITIONING(HVAC) FOR BUILDINGS CERTIFICATION: THIRD PARTY CERTIFIED TO UL-586 | Air Conditioning |
| 57 | 6000001828 | CHILLER; WATER; PACKAGED WATER-COOLED FO | CHILLER WATER; PACKAGED WATER COOLED FOR UTILITY APPLICATIONS TYPE, ANY NOMINAL CAPACITY, CENTRIFUGAL COMPRESSOR TYPE, R-134A REFRIGERANT,27-SAMSS001, AHRI-550/590 ASHRAE 90.1 | Air Conditioning |
| 58 | 6000001314 | MONITOR; FIRE FIGHTING; HYDRANT-MOUNTED | MONITOR; FIREFIGHTING, HYDRANT-MOUNTED MANUALLY OPERATED TYPE, ANY RANGE, MEETING 21-SAMSS-16, INDUSTRIAL MONITOR SYSTEM, WILL BE INSTALLED ON#9COM 6000001310 | Safety & Security Equip |
| 59 | 6000001390 | COATING: FIREPROOFING | COATING; FIREPROOFING TYPE, FOR ONSHORE, PLANT STRUCTURES, CEMENTITIOUS | Safety & Security Equip |
| 60 | 6000014422 | MONITOR; FIREFIGHTING, REMOTE CONTROL | MONITOR; FIREFIGHTING, REMOTE-CONTROL TYPE, ANY RANGE, ELECT OR HYDRAULIC OPERATED SUPPLY, MEETING 21-SAMSS-16, FULL SYSTEM FULL CONTROL INDUSTRIAL APPLICATIONS MEETING PROJECT SPECS | Safety & Security Equip |
| 61 | 6000017430 | COATING, FIREPROOFING, ONSHORE, PLANT ST | COATING; FIREPROOFING TYPE, FOR ONSHORE, PLANT STRUCTURES, INTUMESCENT | Safety & Security Equip |
| 62 | 6000007813 | GRATING; OFFSHORE; FIRE RETARDANT; | GRATING: FIRE RETARDANT TYPE, SIZE ANY, PULTRUDED PHENOLIC RESIN, 12-SAMSS-023, NONMETALLIC FIBER-REINFORCED COMPOSITE PLATFORMS, SHORE. | Gen Sup & Bldg. Mat. |
| 63 | 6000000390 | CHAIN; LOAD RATED; GRADE 80 OR 100 | CHAIN; LOAD RATED; ANY TRADE SI, ANY LOAD, M A391, M A973, CHAIN 80 OR 100 FOR SLINGS LIFTING ASSEMBLIES EXCLUDING POWER ANCHOR CHAIN DE D RATED HORE NSMISSION AND | Gen Sup & Bldg. Mat. |
| 64 | 6000002461 | SKID; NITROGEN GENERATION; MEMBRANE TYPE | SKID; MEMBRANE TYPE, 32-SAMSS-038, NITROGEN GENERATION | Others |